

**Scholar** All articles [Recent articles](#) Results 1 - 10 of about 1,020 for **simulation optimization precalculated**. (2.32 seconds)

All Results

[D Leineweber](#)

[H Bock](#)

[M Brennan](#)

[M Hardt](#)

[O von Stryk](#)

**Optimization of Monte Carlo codes using null collision techniques for experimental simulation at low ...**

MJ Brennan - Plasma Science, IEEE Transactions on, 1991 - [ieeexplore.ieee.org](#)

... is greater than the Page 2 BRENNAN: **OPTIMIZATION OF MONTE ...** that consistent with QMFT, so the **simulation** of particle ... null and real, to be **precalculated** for each ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#)

**(PS) Fast Direct Methods for Real-Time Optimization of Chemical Processes - group of 8 »**

DB Leineweber, HG Bock, JP Schlöder - Proc. 15th IMACS World Congress on Scientific Computation, ... - [iwr.uni-heidelberg.de](#)

... indicate that in particular the use of **precalculated** exact Hessians in so ... only for the nal solution, and therefore, **optimization** and **simulation** may proceed ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**HPLC Optimization of the Separation of Explosives and Propellant Components with an Octadecyl Phase ... - group of 2 »**

M Kaiser - Propellants, Explosives, Pyrotechnics, 1997 - [doi.wiley.com](#)

... HPLC **Optimization** by Computer **Simulation** 323 ... 2-2.5% longer retention times in the experimental chromatogram compared to the **precalculated** values. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Towards an Autonomous, Humanoid, and Dynamically Walking Robot: Modeling, Optimal Trajectory ... - group of 5 »**

M Buss, M Hardt, J Kiener, M Sobotka, M Stelzer, O ... - Proc. IEEE/RAS Humanoids, 2003 - [iea.tu-berlin.de](#)

... tasks include the generation, **optimization** and control ... High-level modeling and **simulation** tools can ... disadvantage of relying upon **precalculated** trajectories is ...

[Cited by 10](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**A novel approach to the generation and optimization of three-level PWM wave forms for induction motor ...**

B Velaerts, P Mathys, E Tatakis, G Bingen - Power Electronics Specialists Conference, 1988. PESC'88 ..., 1988 - [ieeexplore.ieee.org](#)

... The second one, called the optimal or **precalculated** method is computed off-line ... wave forms, is upgraded to multilevel cases, and its **optimization** applied to ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

**Modeling, control and optimization of a new telerobot - group of 3 »**

A Schlotter, F Pfeiffer - Robotics and Automation, 2000. Proceedings. ICRA'00. IEEE ..., 2000 - [ieeexplore.ieee.org](#)

... **Simulation** results are compared to measurements to verify ... The TELBoT control and **optimization** of tele ... Together with the **precalculated** elementary matrices the ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Efficient dynamic modeling, numerical optimal control and experimental results for various gaits of ... - group of 2 »**

M Stelzer, M Hardt, O von Stryk - CLAWAR: International Conference on Climbing and Walking ..., [sim.informatik.tu-darmstadt.de](#)

... the conservative velocity and torque restrictions in dynamic **optimization**, a maximum ... of 18 cm/s is achieved in **simulation** and experiment ... angles **precalculated** ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**High-level power modeling, estimation, and optimization - group of 24 »**

E Macii, M Pedram, F Somenzi - Computer-Aided Design of Integrated Circuits and Systems, ..., 1998 - [ieeexplore.ieee.org](#)

## Give feedback on RSS feeds for document recommendations in CiteSeer.



Find:

[Documents](#)

[Citations](#)

Searching for **simulation and optimization and precalculate**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Constraint Satisfaction: The Approximability of.. - Khanna, Sudan, Trevisan \(1997\)](#) (Correct) (39 citations)  
results on the approximability of combinatorial **optimization** problems. In the case of positive results,  
[www.cs.columbia.edu/~luca/pubs/mincsp.ps.Z](http://www.cs.columbia.edu/~luca/pubs/mincsp.ps.Z)

[Using Markov Chains to Analyze GAFOs - De Jong, Spears, Gordon \(1995\)](#) (Correct) (14 citations)  
algorithms (GAs) being used for function **optimization** (GAFOs) is not as strong as we would like.  
[www.aic.nrl.navy.mil/~spears/papers/foga94/foga94.ps](http://www.aic.nrl.navy.mil/~spears/papers/foga94/foga94.ps)

[Efficient Processing of Queries Containing User-Defined.. - Gaede, Günther \(1995\)](#) (Correct)  
of user-defined functions. In particular, the **optimization** of joins involving complex, userdefined  
[www.wiwi.hu-berlin.de/~gaede/dood.ps.gz](http://www.wiwi.hu-berlin.de/~gaede/dood.ps.gz)

[Using Lifetime Predictors to Improve Memory Allocation.. - David Barrett \(1993\)](#) (Correct) (35 citations)  
and does not present a measurement of an actual **simulation**. In a later section, we present **simulation**  
using the general technique of profile-based **optimization**. With profile-based **optimization**, programs are  
[ftp.cs.colorado.edu/pub/cs/techreports/zorn/PLDI-93-predictors.ps.Z](http://ftp.cs.colorado.edu/pub/cs/techreports/zorn/PLDI-93-predictors.ps.Z)

[Associative Algebras, Symmetric Cones and Polynomial Time.. - Schmieta, Alizadeh \(1998\)](#) (Correct)  
proof, essentially verbatim, applies to all **optimization** problems over almost all symmetric cones, that  
[new-rutcor.rutgers.edu/~alizadeh/MYPAPERS/sqlpoly.ps.gz](http://new-rutcor.rutgers.edu/~alizadeh/MYPAPERS/sqlpoly.ps.gz)

[Cost-Based Optimization for Magic: Algebra and.. - Seshadri, Hellerstein, ... \(1996\)](#) (Correct) (11 citations)  
Cost-Based **Optimization** for Magic: Algebra and Implementation Praveen  
[wuarchive.wustl.edu/packages/postgres/papers/sigmod96-magic.ps.Z](http://wuarchive.wustl.edu/packages/postgres/papers/sigmod96-magic.ps.Z)

[New Techniques for the Construction of Residue.. - Neumaier, Dallwig.. \(Correct\)](#)  
the findings of Thomas & Dill [33] through a **simulation** study) and Bryngelson [4] by theoretical  
structure, potential energy surface, global **optimization**, empirical potential, residue potential,  
[solon.cma.univie.ac.at/~huyer/residue.ps.gz](http://solon.cma.univie.ac.at/~huyer/residue.ps.gz)

[A Comparative Evaluation of Active Relational Databases - Chakravarthy \(1993\)](#) (Correct) (6 citations)  
execution of the operation, respectively. Rule **optimization**: The set of all event-condition-action rules  
[ftp.cis.ufl.edu/pub/tech-reports/tr93/tr93-002.ps.Z](http://ftp.cis.ufl.edu/pub/tech-reports/tr93/tr93-002.ps.Z)

[A Cgi Tool For Multiple Access To VHDL Cad Tools - Curatelli, Mangeruca, Motta, ... \(Correct\)](#)  
Keywords: Computer-aided design, VLSI and **simulation**, Simulators, Interactive programs ABSTRACT  
scheduling task on the processor. Control flow **optimizations**: this can be done by finding out what  
[www.isima.fr/scs/wbms/d14/curatellif.ps](http://www.isima.fr/scs/wbms/d14/curatellif.ps)

[Using Confidence Interval to Summarize the Evaluating Results.. - Weisong Shi \(Correct\)](#)  
its advantages. Although analytical modeling, **simulation** and measurement are three general performance  
then we assume the sizes before and after the **optimization** are expected to follow the following  
[ftp.ict.ac.cn/incoming/chpc/dsm/paper/jcst99a.ps](http://ftp.ict.ac.cn/incoming/chpc/dsm/paper/jcst99a.ps)

[Simulation and Tracing of Hybrid Task Sets on Distributed.. - Antonino Casile \(1998\)](#) (Correct) (2 citations)  
**Simulation** and Tracing of Hybrid Task Sets on Distributed  
[hartik.sssup.it/pub/papers/rtcsa98-1.ps.gz](http://hartik.sssup.it/pub/papers/rtcsa98-1.ps.gz)

[An Adaptable Network Control and Reporting System \(ANCORS\) - Ricciulli, Porras \(1999\)](#) (Correct) (6 citations)  
from network management and distributed **simulation** to provide a unified paradigm for assessing,  
[www.csl.sri.com/ancors/im99.ps](http://www.csl.sri.com/ancors/im99.ps)

[VIS: A System for Verification and Synthesis - Brayton.. \(1996\)](#) (Correct) (97 citations)  
is a tool that integrates the verification, **simulation** and synthesis of finite-state hardware systems.  
[www-cad.eecs.berkeley.edu/~rajeev/publications/psdir/cav96.ps](http://www-cad.eecs.berkeley.edu/~rajeev/publications/psdir/cav96.ps)

[Home](#) [Browse](#) [Search](#) [Abstract Databases](#) [My Settings](#) [Alerts](#) [Help](#)

Quick Search Title, abstract, keywords  Author  e.g. j s smith  
 Journal/book title  Volume  Issue  Page  Clear   
results 1 - 11

## 11 Articles Found

pub-date &gt; 1989 and pub-date &lt; 2001 and simulation and optimization and precalculate

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

[Article List](#) [Full Abstracts](#)
  

Sort By:  

1. ☐ **Body-centered visualisation for freehand 3-D ultrasound • ARTICLE**  
*Ultrasound in Medicine & Biology, Volume 26, Issue 4, May 2000, Pages 539-550*  
Petri M. Tuomola, Andrew H. Gee, Richard W. Prager and Laurence Berman  
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(1365 K\)](#)

---

2. ☐ **Analysis and design of paint manufacturing processes • SHORT COMMUNICATION**  
*Computers & Chemical Engineering, Volume 22, Supplement 1, 15 March 1998, Pages S279-S282*  
G. Rotstein, N. Shah, E. Sorensen, S. Macchietto and R. A. Weiss  
[Abstract](#) | [Abstract + References](#) | [PDF \(455 K\)](#)

---

3. ☐ **Dynamic management of non-isochronous multipriority traffic in DQDB metropolitan area networks • ARTICLE**  
*Computer Communications, Volume 20, Issue 9, 8 September 1997, Pages 715-723*  
Andrea Borella and Paolo Micucci  
[Abstract](#) | [Abstract + References](#) | [PDF \(934 K\)](#)

---

4. ☐ **Latency- and hazard-free volume memory architecture for direct volume rendering • ARTICLE**  
*Computers & Graphics, Volume 21, Issue 2, March-April 1997, Pages 179-187*  
M. De Boer, A. Gröpl, J. Hesser and R. Männer  
[Abstract](#) | [Abstract + References](#) | [PDF \(2420 K\)](#)

---

5. ☐ **A sensitive Pirani vacuum sensor and the electrothermal SPICE modelling • ARTICLE**  
*Sensors and Actuators A: Physical, Volume 53, Issues 1-3, May 1996, Pages 273-277*  
Bruce C. S. Chou, Yeong-Maw Chen, Mang Ou-Yang and Jin-Shown Shie  
[Abstract](#) | [Abstract + References](#) | [PDF \(429 K\)](#)

---

6. ☐ **O(N) tight-binding molecular dynamics on massively parallel computers: an orbital decomposition approach • ARTICLE**  
*Computer Physics Communications, Volume 94, Issues 2-3, April 1996, Pages 89-102*  
A. Canning, G. Galli, F. Mauri, A. De Vita and R. Car  
[Abstract](#) | [Abstract + References](#) | [PDF \(1203 K\)](#)

---

7. ☐ **Markovian real-time adaptive control of signal systems • ARTICLE**  
*Mathematical and Computer Modelling, Volume 22, Issues 4-7, August-October 1995, Pages 355-375*  
W. W. Recker, B. V. Ramanathan, X. -H. Yu and M. G. McNally  
[Abstract](#) | [Abstract + References](#) | [PDF \(1773 K\)](#)

Results for "((simulation <and> optimization)<and> pre-calculate) <and> (pyr >= 1951 <and> pyr <= 1999))"

Your search matched 47 of 488547 documents.

A maximum of 500 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 e-mail  printer friendly

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

1-25 | [26-47](#)

- ☐ 1. **Soft-switching single-phase-three-phase converters with near unity power factor**  
Ellams, P.; Mansell, A.D.;  
[Electric Power Applications, IEEE Proceedings-](#)  
Volume 142, Issue 1, Jan. 1995 Page(s):23 - 28  
[AbstractPlus](#) | Full Text: [PDF\(396 KB\)](#) IEE JNL
- ☐ 2. **Back cover and table contents**  
[Power Apparatus and Systems, IEEE Transactions on](#)  
Volume 96, Issue 4, Part 1, July 1977 Page(s):c4 - c4  
Full Text: [PDF\(5064 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. **A synchronous generator fuzzy excitation controller optimally designed with a genetic algorithm**  
Jinyu Wen; Shijie Cheng; Malik, O.P.;  
[Power Systems, IEEE Transactions on](#)  
Volume 13, Issue 3, Aug. 1998 Page(s):884 - 889  
Digital Object Identifier 10.1109/59.708763  
[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **Improved voltage and reactive power distribution factors for outage studies**  
Singh, S.N.; Srivastava, S.C.;  
[Power Systems, IEEE Transactions on](#)  
Volume 12, Issue 3, Aug. 1997 Page(s):1085 - 1093  
Digital Object Identifier 10.1109/59.630447  
[AbstractPlus](#) | Full Text: [PDF\(916 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **Direct modeling of switched reluctance machine by coupled field-circuit method**  
Longya Xu; Ruckstadter, E.;  
[Energy Conversion, IEEE Transactions on](#)  
Volume 10, Issue 3, Sept. 1995 Page(s):446 - 454  
Digital Object Identifier 10.1109/60.464867  
[AbstractPlus](#) | Full Text: [PDF\(940 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 6. **Synthesis of six-step pulsewidth-modulated waveforms with selective harmonic elimination**  
Maheshwari, A.; Ngo, K.D.T.;  
[Power Electronics, IEEE Transactions on](#)  
Volume 8, Issue 4, Oct. 1993 Page(s):554 - 561  
Digital Object Identifier 10.1109/63.261027

☐ Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Results for "((simulation <and>optimization)<and>precalculate) <and> (pyr >= 1951 <and>..."

Your search matched **145** of **488547** documents.

A maximum of **500** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

 [e-mail](#)  [printer friendly](#)

## » Search Options

[View Session History](#)

[New Search](#)

## Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#) | [101-125](#)

| [Next >](#)

- ☐ 1. **Optimization of Monte Carlo codes using null collision techniques for experimental simulation at low E/N**  
Brennan, M.J.;  
[Plasma Science, IEEE Transactions on](#)  
Volume 19, Issue 2, April 1991 Page(s):256 - 261  
Digital Object Identifier 10.1109/27.106822  
[AbstractPlus](#) | Full Text: [PDF](#)(600 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **The implementation of time-domain diakoptics in the FDTD method**  
Tian-Wei Huang; Houshmand, B.; Itoh, T.;  
[Microwave Theory and Techniques, IEEE Transactions on](#)  
Volume 42, Issue 11, Nov. 1994 Page(s):2149 - 2155  
Digital Object Identifier 10.1109/22.330131  
[AbstractPlus](#) | Full Text: [PDF](#)(644 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. **Real-time EMTP-based transients simulation**  
Marti, J.R.; Linares, L.R.;  
[Power Systems, IEEE Transactions on](#)  
Volume 9, Issue 3, Aug. 1994 Page(s):1309 - 1317  
Digital Object Identifier 10.1109/59.336135  
[AbstractPlus](#) | Full Text: [PDF](#)(800 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **Unified equivalent-circuit model of planar discontinuities suitable for field theory-based CAD and optimization of M(H)MIC's**  
Lei Zhu; Ke Wu;  
[Microwave Theory and Techniques, IEEE Transactions on](#)  
Volume 47, Issue 9, Part 1, Sept. 1999 Page(s):1589 - 1602  
Digital Object Identifier 10.1109/22.788598  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(332 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **Loss reduction by network switching**  
Bacher, R.; Glavitsch, H.;  
[Power Systems, IEEE Transactions on](#)  
Volume 3, Issue 2, May 1988 Page(s):447 - 454  
Digital Object Identifier 10.1109/59.192895  
[AbstractPlus](#) | Full Text: [PDF](#)(552 KB) IEEE JNL  
[Rights and Permissions](#)
6. **A simple nonlinear model of the switched reluctance motor**